

PATHOLOGY AND LABORATORY GROUND RULES

1. **SEROLOGY:** All serological procedures must be performed by registered pathologists or laboratories.
2. **MATERIALS SUPPLIED BY HEALTH CARE PROVIDER:** Supplies and material provided by the health care provider (e.g., sterile trays, drugs) over and above those usually included with the office visit or other services rendered may be listed separately. The statement of charges will need to list individually any drugs, trays, supplies, and materials that were provided. Payment shall not exceed the cost of the item(s) to the health care provider plus 25%, or the cost of the item(s) plus \$15.00 per item, **whichever is less**. Use procedure code 99070.
3. **UNIT VALUES:** The Unit Values specified herein apply to laboratories owned or operated by a health care provider, hospital laboratories, and commercial laboratories, but only when the services or procedures are performed by or under the responsible supervision of a health care provider. When a health care provider is hospital based and is not salaried or otherwise compensated for the services listed in this section, a separate bill can be rendered for the particular service. The charge is to be 60% of the Unit Value.

The Unit Values specified herein include both the "professional" component and the "technical" component. Identification of a service or procedure by its five-digit code, without pertinent modifiers, indicates that the charge includes both the professional and technical components.

The **professional component** includes the examination of the patient when indicated, performance or supervision of the procedure, interpretation and written report of the examination including procedure results (e.g., x-ray images), and consultation with the referring health care provider. To identify a charge for the professional component only, see Appendix A - Modifiers for modifier -26. **Unless otherwise specified in the Schedule, the maximum allowable charge for the professional component is 60% of the listed Unit Value.**

The **technical component** includes the charges for personnel, materials and other supplies, and space, equipment, and other facilities, but excludes the cost of radioisotopes. To identify a charge for the technical component only, see Appendix A - Modifiers for modifier -TC. **Unless otherwise specified in the Schedule, the maximum allowable charge for the technical component is 40% of the listed Unit Value.**

Hospital outpatient facilities and ambulatory surgical centers must specify, by use of modifiers, when only the technical component or the professional component is provided.

4. **SERVICES PROVIDED BY HOSPITAL OUTPATIENT FACILITIES AND/OR AMBULATORY SURGICAL CENTERS:** For any pathology and laboratory service(s) provided by a hospital outpatient facility and/or ambulatory surgical center, reimbursement for said service is to be limited to the maximum allowable payment contained within this section of the Fee Schedule.
5. **ANATOMIC AND SURGICAL PATHOLOGY:** The sections of Anatomic Pathology and Surgical Pathology are exempt from the 60/40 split. Instead, the professional component of the procedures listed in those sections will be reimbursed at 80% of the listed unit value, and the technical component will be reimbursed at 20% of the listed unit value.
6. **MULTIPLE PROCEDURES:** It is appropriate to designate multiple procedures that are rendered on the same day by separate entries. Use modifier -51 to reflect multiple procedures except for the Add-On Codes.
7. **ADD-ON CODES:** Certain codes, by the nature of their description and the unit value assigned, have already been reduced, as they are not to be billed as primary procedures. For a complete list of the

PATHOLOGY AND LABORATORY GROUND RULES

codes which are considered to be add-on codes, refer to the appropriate appendix found within the most recent publication of the **AMA Current Procedural Terminology (CPT)**.

8. **REPORTS:** No statement of charges for services or procedures included in this section shall be considered properly rendered unless it is accompanied by a report that includes both the findings and an interpretation of such findings.
9. **PROCEDURES LISTED WITHOUT SPECIFIED MAXIMUM ALLOWANCE:** "BR" in the Unit Value column indicates that the charge for this service is to be determined "by report" because the service is too unusual or variable to be assigned a Unit Value. Pertinent information should be furnished concerning the nature, extent, and need for the procedure or service, the time, skill, and equipment necessary, etc.
10. **INDICES OR RATIOS:** Tests which produce an index or ratio based on mathematical calculations from two or more other results may not be billed as separate independent tests (e.g., A/G ratio, free thyroxin index).
11. **UNLISTED SERVICE OR PROCEDURE:** When an unlisted service or procedure is performed, the procedure should be identified and the amount charged substantiated "by report" (BR). Unlisted service or procedure codes usually end in "99."
12. **DENIAL OF PAYMENT:** Payment may be denied for procedures or services determined to be excessive or unnecessary for the management of the work-related injury or disease.
13. **MODIFIERS:** Procedure codes for pathology and laboratory services may be modified under certain circumstances. The circumstances are to be identified by the addition of a hyphen and the appropriate two-digit modifier code. Refer to Appendix A - Modifiers for a list of modifiers that may be used.
14. **COST CONTAINMENT:** Nothing in this section shall preclude an employer (or insurance carrier) from entering into payment agreements to promote the continuity of care and the reduction of health care costs. Such payment agreements, if less, will supersede the limitation amounts specified herein. Please refer to K.S.A. 44-510i(e) for further clarification, if necessary.

CONVERSION FACTOR = \$75.10

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE UNIT VALUE

80048	0.31
80050	1.14
80051	0.26
80053	0.39
80055	1.31
80061	0.80
80069	0.32
80074	1.96
80076	0.30
80100	0.54
80101	0.51
80102	0.49
80103	0.52
80150	0.56
80152	0.66
80154	0.68
80156	0.54
80157	0.49
80158	0.67
80160	0.63
80162	0.49
80164	0.50
80166	0.57
80168	0.60
80170	0.60
80172	0.60
80173	0.54
80174	0.63
80176	0.54
80178	0.24
80182	0.50
80184	0.42
80185	0.49
80186	0.51
80188	0.61
80190	0.62
80192	0.62
80194	0.54
80196	0.26
80197	0.51
80198	0.52
80200	0.59
80201	0.44
80202	0.50
80299	0.50
80400	1.96
80402	3.60
80406	3.35
80408	4.49
80410	4.01
80412	9.98
80414	1.48

CODE UNIT VALUE

80415	1.48
80416	4.66
80417	2.00
80418	27.81
80420	3.54
80422	2.20
80424	2.14
80426	5.20
80428	2.60
80430	3.16
80432	5.64
80434	3.74
80435	3.97
80436	3.66
80438	1.75
80439	2.18
80440	2.14
80500	0.59
80502	1.93
81000	0.12
81001	0.12
81002	0.09
81003	0.08
81005	0.08
81007	0.09
81015	0.11
81020	0.14
81025	0.23
81050	0.11
81099	BR
82000	0.46
82003	0.75
82009	0.17
82010	0.30
82013	0.41
82016	0.51
82017	0.62
82024	1.42
82030	0.95
82040	0.18
82042	0.19
82043	0.21
82044	0.17
82045	1.25
82055	0.40
82075	0.44
82085	0.36
82088	1.50
82101	1.11
82103	0.50
82104	0.53
82105	0.62

CODE UNIT VALUE

82106	0.62
82108	0.94
82120	0.14
82127	0.51
82128	0.51
82131	0.62
82135	0.61
82136	0.62
82139	0.62
82140	0.54
82143	0.25
82145	0.57
82150	0.24
82154	1.06
82157	1.08
82160	0.92
82163	0.76
82164	0.54
82172	0.57
82175	0.70
82180	0.36
82190	0.55
82205	0.42
82232	0.60
82239	0.63
82240	0.98
82247	0.19
82248	0.19
82252	0.17
82261	0.62
82270	0.12
82273	0.12
82274	0.59
82286	0.25
82300	0.85
82306	1.09
82307	1.19
82308	0.99
82310	0.19
82330	0.50
82331	0.19
82340	0.22
82355	0.43
82360	0.47
82365	0.48
82370	0.46
82373	0.67
82374	0.18
82375	0.45
82376	0.22
82378	0.70
82379	0.62

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE	UNIT VALUE	CODE	UNIT VALUE	CODE	UNIT VALUE
82380	0.34	82638	0.45	82948	0.12
82382	0.63	82646	0.76	82950	0.18
82383	0.92	82649	0.95	82951	0.47
82384	0.93	82651	0.95	82952	0.14
82387	0.77	82652	1.42	82953	0.56
82390	0.40	82654	0.51	82955	0.36
82397	0.52	82656	0.43	82960	0.22
82415	0.47	82657	0.67	82962	0.09
82435	0.17	82658	0.67	82963	0.79
82436	0.19	82664	1.27	82965	0.29
82438	0.18	82666	0.79	82975	0.58
82441	0.22	82668	0.69	82977	0.27
82465	0.16	82670	1.03	82978	0.53
82480	0.29	82671	1.19	82979	0.25
82482	0.28	82672	0.80	82980	0.68
82485	0.76	82677	0.89	82985	0.56
82486	0.67	82679	0.92	83001	0.69
82487	0.59	82690	0.64	83002	0.68
82488	0.79	82693	0.55	83003	0.61
82489	0.68	82696	0.87	83008	0.62
82491	0.67	82705	0.19	83009	2.48
82492	0.67	82710	0.62	83010	0.46
82495	0.75	82715	0.63	83012	0.63
82507	1.03	82725	0.49	83013	2.48
82520	0.56	82726	0.67	83014	0.29
82523	0.69	82728	0.50	83015	0.69
82525	0.46	82731	2.37	83018	0.81
82528	0.83	82735	0.68	83020	1.00
82530	0.62	82742	0.73	83021	0.67
82533	0.60	82746	0.54	83026	0.09
82540	0.17	82747	0.64	83030	0.31
82541	0.67	82757	0.64	83033	0.22
82542	0.67	82759	0.79	83036	0.36
82543	0.67	82760	0.41	83045	0.18
82544	0.67	82775	0.78	83050	0.27
82550	0.24	82776	0.31	83051	0.27
82552	0.49	82784	0.34	83055	0.18
82553	0.43	82785	0.61	83060	0.31
82554	0.44	82787	0.30	83065	0.25
82565	0.19	82800	0.31	83068	0.31
82570	0.19	82803	0.71	83069	0.15
82575	0.35	82805	1.05	83070	0.18
82585	0.32	82810	0.32	83071	0.25
82595	0.24	82820	0.37	83080	0.62
82600	0.72	82926	0.20	83088	1.09
82607	0.56	82928	0.24	83090	0.62
82608	0.53	82938	0.65	83150	0.71
82615	0.30	82941	0.65	83491	0.65
82626	0.93	82943	0.53	83497	0.48
82627	0.82	82945	0.14	83498	1.00
82633	1.14	82946	0.56	83499	0.93
82634	1.08	82947	0.14	83500	0.84

CPT only copyright 2004 American Medical Association. All Rights Reserved.

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE	UNIT VALUE	CODE	UNIT VALUE	CODE	UNIT VALUE
83505	0.90	83885	0.90	84133	0.16
83516	0.43	83887	0.87	84134	0.54
83518	0.31	83890	0.15	84135	0.71
83519	0.50	83891	0.15	84138	0.70
83520	0.48	83892	0.15	84140	0.76
83525	0.42	83893	0.15	84143	0.84
83527	0.48	83894	0.15	84144	0.77
83528	0.59	83896	0.15	84146	0.71
83540	0.24	83897	0.15	84150	0.92
83550	0.32	83898	0.62	84152	0.68
83570	0.33	83901	0.62	84153	0.68
83582	0.52	83902	0.52	84154	0.68
83586	0.47	83903	0.62	84155	0.14
83593	0.97	83904	0.62	84156	0.14
83605	0.39	83905	0.62	84157	0.14
83615	0.22	83906	0.62	84160	0.19
83625	0.47	83912	0.65	84163	0.55
83630	0.43	83915	0.41	84165	0.92
83632	0.75	83916	0.74	84166	1.18
83633	0.20	83918	0.61	84181	1.15
83634	0.42	83919	0.61	84182	1.21
83655	0.45	83921	0.61	84202	0.53
83661	0.81	83925	0.72	84203	0.32
83662	0.70	83930	0.24	84206	0.66
83663	0.70	83935	0.25	84207	1.04
83664	0.70	83937	1.10	84210	0.40
83670	0.34	83945	0.47	84220	0.35
83690	0.25	83950	2.37	84228	0.43
83715	0.42	83970	1.52	84233	2.37
83716	0.92	83986	0.13	84234	2.39
83718	0.30	83992	0.54	84235	1.93
83719	0.43	84022	0.57	84238	1.35
83721	0.35	84030	0.20	84244	0.81
83727	0.63	84035	0.13	84252	0.75
83735	0.25	84060	0.27	84255	0.94
83775	0.27	84061	0.29	84260	1.14
83785	0.91	84066	0.36	84270	0.80
83788	0.67	84075	0.19	84275	0.50
83789	0.67	84078	0.27	84285	0.87
83805	0.65	84080	0.55	84295	0.18
83825	0.60	84081	0.61	84300	0.18
83835	0.62	84085	0.25	84302	0.18
83840	0.60	84087	0.38	84305	0.78
83857	0.40	84100	0.17	84307	0.67
83858	0.55	84105	0.19	84311	0.26
83864	0.73	84106	0.16	84315	0.09
83866	0.36	84110	0.31	84375	0.72
83872	0.22	84119	0.32	84376	0.20
83873	0.63	84120	0.54	84377	0.20
83874	0.48	84126	0.94	84378	0.42
83880	1.25	84127	0.43	84379	0.42
83883	0.50	84132	0.17	84392	0.18

CPT only copyright 2004 American Medical Association. All Rights Reserved.

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE UNIT VALUE

84402	0.94
84403	0.95
84425	0.78
84430	0.43
84432	0.59
84436	0.25
84437	0.24
84439	0.33
84442	0.55
84443	0.62
84445	1.87
84446	0.52
84449	0.66
84450	0.19
84460	0.20
84466	0.47
84478	0.21
84479	0.24
84480	0.52
84481	0.62
84482	0.58
84484	0.36
84485	0.28
84488	0.27
84490	0.28
84510	0.38
84512	0.28
84520	0.15
84525	0.14
84540	0.18
84545	0.24
84550	0.17
84560	0.18
84577	0.46
84578	0.12
84580	0.26
84583	0.19
84585	0.57
84586	1.30
84588	1.25
84590	0.43
84591	0.43
84597	0.51
84600	0.59
84620	0.44
84630	0.42
84681	0.77
84702	0.55
84703	0.28
84830	0.37
84999	BR
85002	0.17

CODE UNIT VALUE

85004	0.24
85007	0.13
85008	0.13
85009	0.14
85013	0.09
85014	0.09
85018	0.09
85025	0.29
85027	0.24
85032	0.16
85041	0.11
85044	0.16
85045	0.15
85046	0.21
85048	0.09
85049	0.16
85055	0.99
85060	0.65
85097	2.89
85130	0.44
85170	0.13
85175	0.17
85210	0.48
85220	0.65
85230	0.66
85240	0.66
85244	0.75
85245	0.85
85246	0.85
85247	0.85
85250	0.70
85260	0.66
85270	0.66
85280	0.71
85290	0.60
85291	0.33
85292	0.70
85293	0.70
85300	0.44
85301	0.40
85302	0.44
85303	0.51
85305	0.43
85306	0.56
85307	0.56
85335	0.47
85337	0.38
85345	0.16
85347	0.16
85348	0.14
85360	0.31
85362	0.25

CODE UNIT VALUE

85366	0.32
85370	0.42
85378	0.26
85379	0.38
85380	0.38
85384	0.31
85385	0.31
85390	0.70
85396	0.57
85400	0.33
85410	0.28
85415	0.63
85420	0.24
85421	0.38
85441	0.16
85445	0.25
85460	0.29
85461	0.24
85475	0.33
85520	0.48
85525	0.44
85530	0.52
85536	0.24
85540	0.32
85547	0.32
85549	0.69
85555	0.25
85557	0.49
85576	1.33
85597	0.66
85610	0.14
85611	0.15
85612	0.35
85613	0.35
85635	0.36
85651	0.13
85652	0.10
85660	0.20
85670	0.21
85675	0.25
85705	0.35
85730	0.22
85732	0.24
85810	0.43
85999	BR
86000	0.26
86001	0.19
86003	0.19
86005	0.29
86021	0.55
86022	0.68
86023	0.46

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE UNIT VALUE

86038	0.45
86039	0.41
86060	0.27
86063	0.21
86064	1.39
86077	1.37
86078	1.44
86079	1.42
86140	0.19
86141	0.48
86146	0.94
86147	0.94
86148	0.59
86155	0.59
86156	0.25
86157	0.30
86160	0.44
86161	0.44
86162	0.75
86171	0.37
86185	0.33
86215	0.49
86225	0.51
86226	0.45
86235	0.66
86243	0.76
86255	0.97
86256	0.97
86277	0.58
86280	0.30
86294	0.72
86300	0.77
86301	0.77
86304	0.77
86308	0.19
86309	0.24
86310	0.27
86316	0.77
86317	0.55
86318	0.48
86320	1.36
86325	1.33
86327	1.46
86329	0.52
86331	0.44
86332	0.90
86334	1.35
86335	1.60
86336	0.57
86337	0.79
86340	0.56
86341	0.73

CODE UNIT VALUE

86343	0.46
86344	0.29
86353	1.81
86359	1.39
86360	1.73
86361	0.99
86376	0.54
86378	0.73
86379	1.39
86382	0.62
86384	0.42
86403	0.38
86406	0.39
86430	0.21
86431	0.21
86485	0.35
86490	0.31
86510	0.34
86580	0.27
86585	0.21
86586	0.35
86587	1.39
86590	0.41
86592	0.16
86593	0.16
86602	0.38
86603	0.47
86606	0.55
86609	0.48
86611	0.38
86612	0.48
86615	0.49
86617	0.57
86618	0.63
86619	0.49
86622	0.33
86625	0.48
86628	0.44
86631	0.44
86632	0.47
86635	0.42
86638	0.45
86641	0.53
86644	0.53
86645	0.62
86648	0.56
86651	0.49
86652	0.49
86653	0.49
86654	0.49
86658	0.48
86663	0.48

CODE UNIT VALUE

86664	0.56
86665	0.67
86666	0.38
86668	0.38
86671	0.45
86674	0.54
86677	0.54
86682	0.48
86684	0.58
86687	0.31
86688	0.52
86689	0.71
86692	0.63
86694	0.53
86695	0.49
86696	0.71
86698	0.46
86701	0.33
86702	0.50
86703	0.51
86704	0.44
86705	0.43
86706	0.40
86707	0.43
86708	0.46
86709	0.42
86710	0.50
86713	0.56
86717	0.45
86720	0.49
86723	0.49
86727	0.47
86729	0.44
86732	0.49
86735	0.48
86738	0.49
86741	0.49
86744	0.49
86747	0.55
86750	0.49
86753	0.46
86756	0.48
86757	0.71
86759	0.49
86762	0.53
86765	0.48
86768	0.49
86771	0.49
86774	0.55
86777	0.53
86778	0.53
86781	0.49

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE UNIT VALUE

86784	0.46
86787	0.48
86790	0.48
86793	0.49
86800	0.59
86803	0.53
86804	0.57
86805	1.93
86806	1.75
86807	1.46
86808	1.09
86812	0.95
86813	2.14
86816	1.03
86817	2.37
86821	2.08
86822	1.35
86849	BR
86850	0.46
86860	0.46
86870	0.81
86880	0.20
86885	0.21
86886	0.19
86890	1.84
86891	2.88
86900	0.11
86901	0.23
86903	0.35
86904	0.35
86905	0.14
86906	0.29
86910	0.51
86911	0.39
86920	0.51
86921	0.46
86922	0.28
86927	0.25
86930	2.30
86931	2.53
86932	2.76
86940	0.30
86941	0.45
86945	0.69
86950	1.27
86965	0.32
86970	0.37
86971	0.37
86972	0.35
86975	0.23
86976	0.18
86977	0.23

CODE UNIT VALUE

86978	0.51
86985	0.48
86999	BR
87001	0.49
87003	0.62
87015	0.25
87040	0.38
87045	0.35
87046	0.35
87070	0.32
87071	0.35
87073	0.35
87075	0.35
87076	0.30
87077	0.30
87081	0.24
87084	0.32
87086	0.30
87088	0.30
87101	0.28
87102	0.31
87103	0.33
87106	0.38
87107	0.38
87109	0.57
87110	0.72
87116	0.40
87118	0.40
87140	0.21
87143	0.46
87147	0.19
87149	0.74
87152	0.19
87158	0.19
87164	0.90
87166	0.42
87168	0.16
87169	0.16
87172	0.16
87176	0.22
87177	0.33
87181	0.18
87184	0.25
87185	0.18
87186	0.32
87187	0.38
87188	0.24
87190	0.21
87197	0.55
87205	0.16
87206	0.20
87207	0.76

CODE UNIT VALUE

87210	0.16
87220	0.16
87230	0.73
87250	0.72
87252	0.96
87253	0.74
87254	0.72
87255	1.25
87260	0.44
87265	0.44
87267	0.44
87269	0.44
87270	0.44
87271	0.44
87272	0.44
87273	0.44
87274	0.44
87275	0.44
87276	0.44
87277	0.44
87278	0.44
87279	0.44
87280	0.44
87281	0.44
87283	0.44
87285	0.44
87290	0.44
87299	0.44
87300	0.44
87301	0.44
87320	0.44
87324	0.44
87327	0.44
87328	0.44
87329	0.44
87332	0.44
87335	0.44
87336	0.44
87337	0.44
87338	0.53
87339	0.44
87340	0.38
87341	0.38
87350	0.42
87380	0.61
87385	0.44
87390	0.65
87391	0.65
87400	0.44
87420	0.44
87425	0.44
87427	0.44

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE UNIT VALUE

87430	0.44
87449	0.44
87450	0.35
87451	0.35
87470	0.74
87471	1.29
87472	1.58
87475	0.74
87476	1.29
87477	1.58
87480	0.74
87481	1.29
87482	1.54
87485	0.74
87486	1.29
87487	1.58
87490	0.74
87491	1.29
87492	1.29
87495	0.74
87496	1.29
87497	1.58
87510	0.74
87511	1.29
87512	1.54
87515	0.74
87516	1.29
87517	1.58
87520	0.74
87521	1.29
87522	1.58
87525	0.74
87526	1.29
87527	1.54
87528	0.74
87529	1.29
87530	1.58
87531	0.74
87532	1.29
87533	1.54
87534	0.74
87535	1.29
87536	3.14
87537	0.74
87538	1.29
87539	1.58
87540	0.74
87541	1.29
87542	1.54
87550	0.74
87551	1.29
87552	1.58

CODE UNIT VALUE

87555	0.74
87556	1.29
87557	1.58
87560	0.74
87561	1.29
87562	1.58
87580	0.74
87581	1.29
87582	1.54
87590	0.74
87591	1.29
87592	1.58
87620	0.74
87621	1.29
87622	1.54
87650	0.74
87651	1.29
87652	1.54
87660	0.74
87797	0.74
87798	1.29
87799	1.58
87800	1.48
87801	2.59
87802	0.44
87803	0.44
87804	0.44
87807	0.44
87810	0.44
87850	0.44
87880	0.44
87899	0.44
87901	9.49
87902	9.49
87903	18.01
87904	4.81
87999	BR
88000	5.95
88005	6.61
88007	7.27
88012	5.48
88014	5.48
88016	6.66
88020	8.54
88025	9.20
88027	9.86
88028	5.48
88029	5.48
88036	3.54
88037	2.60
88040	14.16
88045	1.18

CODE UNIT VALUE

88099	BR
88104	1.45
88106	1.95
88107	2.35
88108	1.81
88112	3.19
88125	0.53
88130	0.55
88140	0.29
88141	0.59
88142	0.75
88143	0.75
88147	0.42
88148	0.56
88150	0.39
88152	0.39
88153	0.39
88154	0.39
88155	0.22
88160	1.37
88161	1.48
88162	1.83
88164	0.39
88165	0.39
88166	0.39
88167	0.39
88172	1.37
88173	3.60
88174	0.79
88175	0.98
88182	2.82
88184	1.34
88185	0.66
88187	1.82
88188	2.27
88189	2.99
88199	BR
88230	4.30
88233	5.19
88235	5.43
88237	4.66
88239	5.44
88240	0.37
88241	0.37
88245	5.49
88248	6.38
88249	6.38
88261	6.52
88262	4.60
88263	5.54
88264	4.60
88267	6.63

PATHOLOGY AND LABORATORY

(CONVERSION FACTOR = \$75.10)

CODE	UNIT VALUE
88269	6.13
88271	0.79
88272	0.99
88273	1.18
88274	1.28
88275	1.48
88280	0.93
88283	2.53
88285	0.70
88289	1.27
88291	0.71
88299	BR
88300	0.55
88302	1.19
88304	1.57
88305	2.73
88307	4.86
88309	6.81
88311	0.49
88312	2.09
88313	1.51
88314	2.55
88318	2.10
88319	3.98
88321	2.14
88323	3.20
88325	5.24
88329	1.35
88331	2.37
88332	1.09
88342	2.36
88346	2.48
88347	2.17
88348	10.99
88349	4.41
88355	10.75
88356	7.39
88358	1.97
88360	2.91
88361	4.38
88362	7.02
88365	3.38
88367	5.53
88368	5.02
88371	1.33
88372	1.38
88380	BR
88399	BR
88400	0.19
89050	0.17
89051	0.20
89055	0.16

CODE	UNIT VALUE
89060	0.80
89100	2.46
89105	2.74
89125	0.16
89130	2.21
89132	1.75
89135	2.72
89136	1.95
89140	3.06
89141	3.67
89160	0.14
89190	0.18
89220	0.41
89225	0.12
89230	0.13
89235	0.20
89240	BR
89250	27.46
89251	BR
89253	BR
89254	BR
89255	BR
89257	BR
89258	BR
89259	BR
89260	BR
89261	BR
89264	BR
89268	BR
89272	BR
89280	BR
89281	BR
89290	BR
89291	BR
89300	0.33
89310	0.32
89320	0.44
89321	0.44
89325	0.39
89329	0.77
89330	0.36
89335	BR
89342	BR
89343	BR
89344	BR
89346	BR
89352	BR
89353	BR
89354	BR
89356	BR